

United States Department of Agriculture

Natural Resources Conservation Service

Plant Materials Technical Note No. 2

West National Technology Support Center

Plant Materials Program

May 2016

## Pacific Northwest Cover Crop Selection Tool



Helping People Help the Land

## Acknowledgements

Issued May 2016

Plant Materials Technical Note No. 2 prepared by:

Annie Young-Mathews, PMC Manager, Corvallis Plant Materials Center, OR

Pamela Pavek, Conservation Agronomist, Pullman Plant Materials Center, WA

Derek Tilley, PMC Manager, Aberdeen Plant Materials Center, ID

Special thanks to Steve Campbell, Soil Scientist at the NRCS West National Technology Support Center in Portland, OR, for designing, formatting and populating the access database for the Cover Crop Selection Tool. Thanks also to the following NRCS technical specialists for review of this publication: Denise Troxell, State Agronomist, Portland, OR; Marlon Winger, State Agronomist, Boise, ID; Tracy Hanger, State Agronomist, Spokane, WA; and Joel Douglas, Plant Materials Specialist, Fort Worth, TX.

Suggested citation:

Young-Mathews, A., P. Pavek, and D. Tilley. 2016. Pacific Northwest Cover Crop Selection Tool. West NTSC Plant Materials Technical Note No. 2. USDA-Natural Resources Conservation Service, Portland, OR.

If you wish to file an employment complaint, you must contact your agency's EEO counselor (<u>https://www.ascr.usda.gov/eeo-counselors</u>) within 45 days of the date of the alleged discriminatory act, event, or in the case of a personnel action. Additional information can be found online at <u>http://www.ascr.usda.gov/complaint\_filing\_file.html</u>.

If you wish to file a Civil Rights program complaint of discrimination, complete the <u>USDA Program Discrimination</u> <u>Complaint</u> <u>Form</u> (PDF), found online at <u>http://www.ascr.usda.gov/complaint filing\_cust.html</u>, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at program.intake@usda.gov.

Individuals who are deaf, hard of hearing or have speech disabilities and you wish to file either an EEO or program complaint please contact USDA through the Federal Relay Service at (800) 877-8339 or (800) 845-6136 (in Spanish).

Persons with disabilities who wish to file a program complaint, please see information above on how to contact us by mail directly or by email. If you require alternative means of communication for program information (e.g., Braille, large print, audiotape, etc.) please contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

For any other information dealing with Supplemental Nutrition Assistance Program (SNAP) issues, persons should either contact the USDA SNAP Hotline Number at (800) 221-5689, which is also in Spanish or call the <u>State Information/Hotline</u> <u>Numbers</u>. For any other information not pertaining to civil rights, please refer to the listing of the <u>USDA Agencies and Offices</u> for specific agency information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720–2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, SW., Washington, DC 20250–9410, or call (800) 795–3272 (voice) or (202) 720–6382 (TDD). USDA is an equal opportunity provider and employer.

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the bases of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)


## Preface

The U.S. Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) Plant Materials Program has been involved in the evaluation of conservation plants and planting technology for more than 75 years.

For additional information on specific species of plants mentioned in this publication, please see the USDA PLANTS database at: (<u>http://plants.usda.gov/java/</u>) or contact the nearest Plant Materials Center or plant materials specialist

(http://www.nrcs.usda.gov/wps/portal/nrcs/main/plantmaterials/contact/directory/) and/or the Land Grant University that serves the state. For specific information on soils and soil health, please see USDA NRCS soils website at:

(<u>http://www.nrcs.usda.gov/wps/portal/nrcs/site/soils/home/</u>). Also, see technical resources on the National Plant Materials Program Web site at: (<u>http://www.plant-materials.nrcs.usda.gov/</u>).



## Summary

The Pacific Northwest Cover Crop Selection Tool is a guide to help growers and conservation planners in Oregon, Washington, and Idaho select cover crop species adapted to their climate, soils, and intended cover crop purpose. The tool is a Microsoft Access database that can be downloaded from the following website:

http://www.nrcs.usda.gov/wps/portal/nrcs/detail/plantmaterials/technical/toolsdata/plant/?cid=nr cseprd894840

Users make selections for environmental conditions and intended purpose(s) of the cover crop from the drop down lists provided (Figure 1), and then the tool has the ability to generate four reports to help with the final selection, planning and implementation phases of establishing a cover crop. Examples of the four reports are given in Figures 2-5.

| Introduction Cover_crop_selection_tool |   |   |   |   |  |  |  |  |  |  |  |  |  |
|--|---|---|---|---|--|--|--|--|--|--|--|--|--|
|  | Cover Crop Selection Tool for Idaho, Oregon, and Washington |   |   |   |  |  |  |  |  |  |  |  |  |
|  | ,   |   |   |   |  |  |  |  |  |  |  |  |  |
|  | Precipitation Zone  | Greater than 25 inches  |   |   |  |  |  |  |  |  |  |  |  |
|  | Plant Type  | Both Cool and Warm Season 💌   | Cover Crop Adapted Species and<br>Selected Purposes Ratings Report<br>Clear all Selections  |   |  |  |  |  |  |  |  |  |  |
|  | Overwinter?   | Yes 💌   |   |   |  |  |  |  |  |  |  |  |  |
|  | Hardiness Zone  | 8   | Cover Crop Adapted Species and<br>All Purposes Ratings Report   |   |  |  |  |  |  |  |  |  |  |
|  | Soil Drainage Class   | Well drained 💌  |   |   |  |  |  |  |  |  |  |  |  |
|  | Soil pH Class   | Moderately acidic (pH 5.6 - 6.5)  | Cover Crop Adapted Species and Run all Reports  |   |  |  |  |  |  |  |  |  |  |
|  | Soil Salinity Class   | Not saline (EC less than 2 mmhos/cm)  | Plant Properties Report   |   |  |  |  |  |  |  |  |  |  |
|  | Ponding Class   | Not frequently ponded   | Cover Crop Adapted Species and  |   |  |  |  |  |  |  |  |  |  |
|  | Purpose 1   | Erosion reduction   | Seeding Information Report Close all Reports  |   |  |  |  |  |  |  |  |  |  |
|  | Purpose 2   | Capture, recycle, redistribute nutrients 🔽  |   |   |  |  |  |  |  |  |  |  |  |
|  | Purpose 3   | Erosion reduction<br>Increase organic matter  | Double click on an image below to open a  |   |  |  |  |  |  |  |  |  |  |
| Purpose 4                              |   | Capture, recycle, redistribute nutrients<br>Promote nitrogen fixation                                       | State Hardiness Zone Map  |   |  |  |  |  |  |  |  |  |  |
|  | Web Link - Plant M<br>Cover Crop Reso<br>Oregon             | Weed suppression<br>Soil-borne pest suppression<br>Provide supplemental hay<br>Provide supplemental grazing | Idaho Oregon Washington   Image: Constraint of the second s |   |  |  |  |  |  |  |  |  |  |
|  |   |   |   | - |  |  |  |  |  |  |  |  |  |

Figure 1. User interface for the Pacific Northwest Cover Crop Selection Tool, showing drop down menus for climatic and soil conditions and intended cover crop purpose(s) on the left, and buttons to generate the various report on the right.

|                                | than 25 inches<br>and Warm Season | Soll DraInage Class: Well<br>Soll pH Class: Moderatel<br>Soll Sellinity Class: Not s<br>Ponding Class: Not frequ | m)  |  |
|--------------------------------|-----------------------------------|--|---|--|
| Plant Name                     | Purpose 1:<br>Erosion reduction   | Purpose 2:<br>Capture, recycle,<br>redistribute nutrients  | Purpose 3:<br>Minimize or reduce soil<br>compaction | Purpose 4:<br>Attract beneficial insects |
| arugula (5)                    | Fair                              | Fair   | Fair  | Yes                                      |
| barley, spring                 | Good                              | Good   | Fair  | No                                       |
| barley, winter                 | Good                              | Good   | Fair  | No                                       |
| canola/rapeseed, spring (1, 5) | Fair                              | Good   | Good  | Yes                                      |
| canola/rapeseed, winter (1, 5) | Fair                              | Good   | Good  | Yes                                      |
| clover, crimson (4)            | Fair                              | Fair   | Fair  | Yes                                      |
| clover, red (3, 4)             | Fair                              | Fair   | Fair  | Yes                                      |
| clover, strawberry (4)         | Fair                              | Fair   | Fair  | Yes                                      |
| clover, subterranean (4)       | Fair                              | Fair   | Fair  | No                                       |
| clover, white (3, 4)           | Fair                              | Fair   | Poor  | Yes                                      |
| fava, small seed (4, 6)        | Fair                              | Fair   | Good  | Yes                                      |
| fiax                           | Fair                              | Fair   | Poor  | Yes                                      |
| kale (1, 5)                    | Fair                              | Good   | Good  | Yes                                      |

Figure 2. Example of the Cover Crop Selection Tool report showing the ratings (good, fair, and poor) of adapted species for four user-selected purposes. Information is displayed along the top of the report to show the user-selected precipitation zone, planting season, overwintering, USDA Plant Hardiness Zone, soil drainage class, soil pH class, soil salinity class, and ponding class of the field where the cover crop will be planted.

| Procinitation Zone: Gray       | Suitable Cover Crop Species and All P<br>Precipitation Zone: Greater than 25 inches |                               |   |  |                                   |                                 |                                |                                    |  |                                 |  |
|--------------------------------|---|-------------------------------|---|--|-----------------------------------|---------------------------------|--------------------------------|------------------------------------|--|---------------------------------|--|
|                                |   |                               |   |  | Soll Drainage Class: Well drained |                                 |                                |                                    |  | A                               |  |
|                                | Cool and Warm Season  |                               |   | Soil pH Class: Moderately acidic (pH 5.6 - 6.5)          |                                   |                                 |                                |                                    |  |                                 |  |
| Overwinter: Yes                | Overwinter: Yes   |                               |   | Soil Salinity Class: Not saline (EC less than 2 mmhos/cm |                                   |                                 |                                |                                    |  |                                 |  |
| Hardiness Zone: 8              |   |                               | Por   | iding Class:   | Not free                          | uently pond                     | ed                             |                                    |  |                                 |  |
| Plant Name                     | Erosion<br>reduction  | Increase<br>organic<br>matter | Capture,<br>recycle,<br>redistribute<br>nutrients | Promote<br>nitrogen<br>fixation                          | Suppress<br>weeds                 | Suppress<br>soil-borne<br>pests | Provide<br>supplemental<br>hay | Provide<br>supplemental<br>grazing | Minimize or<br>reduce soil<br>compaction | Attract<br>beneficia<br>insects |  |
| arugula (5)                    | Fair  | Fair                          | Fair  | Poor   | Good                              | Good                            | Poor                           | Poor                               | Fair                                     | Yes                             |  |
| barley, spring                 | Good  | Good                          | Good  | Poor   | Good                              | Poor                            | Fair                           | Fair                               | Fair                                     | No                              |  |
| barley, winter                 | Good  | Good                          | Good  | Poor   | Good                              | Poor                            | Fair                           | Fair                               | Fair                                     | No                              |  |
| beet, red                      | Poor  | Poor                          | Good  | Poor   | Fair                              | Poor                            | Poor                           | Fair                               | Good                                     | No                              |  |
| beet, sugar                    | Poor  | Poor                          | Good  | Poor   | Fair                              | Poor                            | Poor                           | Good                               | Good                                     | No                              |  |
| canola/rapeseed, spring (1, 5) | Fair  | Fair                          | Good  | Poor   | Good                              | Good                            | Fair                           | Fair                               | Good                                     | Yes                             |  |
| canola/rapeseed, winter (1, 5) | Fair  | Fair                          | Good  | Poor   | Good                              | Good                            | Fair                           | Fair                               | Good                                     | Yes                             |  |
| clover, berseem (4)            | Poor  | Poor                          | Fair  | Good   | Fair                              | Poor                            | Fair                           | Good                               | Fair                                     | Yes                             |  |
| clover, crimson (4)            | Fair  | Fair                          | Fair  | Good   | Fair                              | Poor                            | Fair                           | Good                               | Fair                                     | Yes                             |  |
| clover, red (3, 4)             | Fair  | Fair                          | Fair  | Good   | Good                              | Poor                            | Fair                           | Good                               | Fair                                     | Yes                             |  |
| clover, strawberry (4)         | Fair  | Fair                          | Fair  | Good   | Good                              | Poor                            | Fair                           | Good                               | Fair                                     | Yes                             |  |
| clover, subterranean (4)       | Fair  | Fair                          | Fair  | Good   | Good                              | Poor                            | Fair                           | Good                               | Fair                                     | No                              |  |
| clover, white (3, 4)           | Fair  | Fair                          | Fair  | Good   | Fair                              | Poor                            | Fair                           | Good                               | Poor                                     | Yes                             |  |

Figure 3. Example of the Cover Crop Selection Tool report showing ratings of adapted species for all possible purposes.

| Precipitation Zone: Greater th<br>Planting Season: Both Cool an<br>Overwinter: Yes | Soil Drainage Class: Well drained<br>Soil pH Class: Moderately acidic (pH 5.6 - 6.5)<br>Soil Salinity Class: Not saline (EC less than 2 mmhos/cm) |               |                    |             |           |  |
|--|---|---------------|--------------------|-------------|-----------|--|
| Hardiness Zone: 8  |   | Ponding Class | Not frequently po  | nded        |           |  |
| Plant Name   | Сгор Туре   | Root Type     | Plant Duration     | C : N Ratio | Water Use |  |
| arugula (5)  | broadleaf   | taproot       | Annual             | low         | medium    |  |
| barley, spring   | grass   | fibrous root  | Annual             | high        | medium    |  |
| barley, winter   | grass   | fibrous root  | Annual             | high        | medium    |  |
| canola/rapeseed, spring (1, 5)   | broadleaf   | taproot       | Annual             | low         | medium    |  |
| canola/rapeseed, winter (1, 5)   | broadleaf   | taproot       | Annual             | low         | medium    |  |
| clover, crimson (4)  | legume  | taproot       | Annual             | low         | medium    |  |
| clover, red (3, 4)   | legume  | taproot       | Biennial/Perennial | low         | medium    |  |
| clover, strawberry [4]   | legume  | rhizomatous   | Perennial          | low         | high      |  |
| clover, subterranean (4)   | legume  | rhizomatous   | Annual             | low         | high      |  |
| clover, white (3, 4)   | legume  | rhizomatous   | Perennial          | low         | high      |  |
| fava, small seed (4, 6)  | legume  | taproot       | Annual             | medium      | medium    |  |
| flax   | broadleaf   | taproot       | Annual             | high        | medium    |  |
| kale (1, 5)  | broadleaf   | taproot       | Annual/Biennial    | low         | high      |  |
| mustards (1, 5)  | broadleaf   | taproot       | Annual/Biennial    | low         | high      |  |

Figure 4. Example of the Cover Crop Selection Tool report showing the properties of adapted species, including crop type (grass, legume, or broadleaf), root type (taproot, fibrous, or rhizomatous), plant duration (annual or perennial), carbon to nitrogen ratio (low, medium, or high), and water use (low, medium, or high).

|                                |                 | -                           | Information                 |                    |                         |         |  |  |
|--------------------------------|-----------------|-----------------------------|-----------------------------|--------------------|-------------------------|---------|--|--|
| Precipitation Zone: Greater    | Soil Drainage   |                             | USDA                        |                    |                         |         |  |  |
| Planting Season: Both Cool     | Soil pH Class   |                             |                             |                    |                         |         |  |  |
| Overwinter: Yes                | Soil Salinity   | imhos/cm)                   |                             |                    |                         |         |  |  |
| Hardiness Zone: 8              |                 | Ponding Clas                |                             |                    |                         |         |  |  |
|                                |                 |                             | Drilled Single              |                    |                         | Species |  |  |
| Plant Name                     | Seeds per pound | Seeding depth -<br>min (in) | Seeding depth -<br>max (in) | Seeding<br>Minimum | Rate - Ib/ac<br>Maximun |         |  |  |
| arugula (5)                    | 280,000         | 0.25                        | 0.5                         | 4                  | 6                       |         |  |  |
| barley, spring                 | 13,600          | 1                           | 2                           | 50                 | 100                     |         |  |  |
| barley, winter                 | 12,800          | 1                           | 2                           | 50                 | 100                     |         |  |  |
| canola/rapeseed, spring (1, 5) | 125,000         | 0.25                        | 0.5                         | 3                  | 16                      |         |  |  |
| canola/rapeseed, winter (1, 5) | 125,000         | 0.25                        | 0.5                         | 3                  | 16                      |         |  |  |
| clover, crimson (4)            | 130,000         | 0.25                        | 0.5                         | 15                 | 20                      |         |  |  |
| clover, red (3, 4)             | 272,200         | 0.25                        | 0.5                         | 4                  | 10                      |         |  |  |
| clover, strawberry (4)         | 288,000         | 0.25                        | 0.5                         | 4                  | 10                      |         |  |  |
| clover, subterranean (4)       | 80,000          | 0.25                        | 1                           | 10                 | 20                      |         |  |  |
| clover, white (3, 4)           | 776,000         | 0.125                       | 0.25                        | 3                  | 5                       |         |  |  |
| fava, small seed (4, 6)        | 1,000           | 0.75                        | 3                           | 80                 | 200                     |         |  |  |
| flax                           | 78,000          | 0.5                         | 1.5                         | 30                 | 50                      |         |  |  |
| kale (1, 5)                    | 124,800         | 0.25                        | 0.5                         | 3                  | 8                       |         |  |  |
| mustards (1, 5)                | 150,000         | 0.25                        | 0.5                         | 2                  | 10                      |         |  |  |

Figure 5. Example of the Cover Crop Selection Tool report showing seeding information for adapted species, including average seeds per pound, minimum/maximum seeding depth, and minimum/maximum recommended seeding rate for single species drilled planting.

Cover crop species included in this tool are generally adapted to environments in the western United States, but have not been evaluated in all possible situations. The performance of these cover crops can be highly variable, and is dependent on planting date, precipitation or irrigation, soil conditions, and other environmental factors. Cultivars or varieties may have different growth patterns or tolerances than the species in general. Consult with your local NRCS office, University Extension, and local farmers to find out what works best in your area and how to use the cover crops effectively. Also, experiment with cover crops on small areas of your farm before implementing the practice on a large scale.

It is the producers' responsibility to follow all state and federal laws.

If you find any information in this tool to be incomplete or inaccurate, please send edits to Annie Young-Mathews (<u>anna.young-mathews@or.usda.gov</u>), Allen Casey (<u>allen.casey@wa.usda.gov</u>), or Derek Tilley (<u>derek.tilley@id.usda.gov</u>).